



NMT PLUS 32/80-180


979523857

NMT PLUS / Electronically regulated circulating pump

Heating/cooling, Klimatizacija

GENERAL

Codigo producto	979523857		
Product name	NMT PLUS 32/80-180		
Seal type		EEI	0,19
Peso	2,49 kg		
H max	7.66 m	H min	0.0 m
Q max	3.46 m3/h	Q min	0.0 m3/h
	36 %		
Nivel de ruido funcionamiento	≤43 dB(A)		



ELECTRICAL DATA

Tension	1~230 V
Frecuencia	50 Hz
Potencia nominal	57 W
Rpm	4800 rpm
Clase aislamiento	F (155) °C
Consumo corriente	0.5 A
Declared protection	IP44
Thermal protection	
Frame size	
Motor i e class	

INSTALLATION

Fluido permitido	Water VDI 2035, glycol 40%
Temperatura fluido	-10.0 ÷ 110.0 °C
Temperatura max. ambiente	40 °C
medida	180 mm
DN1	32
Coneccion	G 2
Coneccion	G 2
Presion maxima	1.0 MPa

MATERIAL

Material cojinete	Cerámica
Material impulsor	Noryl 1630V
Material cuerpo bomba	Hierro fundido
Material eje	Cerámica

NMT PLUS 32/80-180

979523857

NMT PLUS / Electronically regulated circulating pump

Heating/cooling, Klimatizacija






NMT PLUS 32/80-180

979523857

NMT PLUS / Electronically regulated circulating pump

Heating/cooling, Klimatizacija

Esquema dimensional



L=180 DN=32 b1=80 b2=48 l=108 a=40 D2=2



NMT PLUS 32/80-180

979523857

NMT PLUS / Electronically regulated circulating pump
Heating/cooling, Klimatizacija

Esquema electrico

